

Package ‘CruzPlot’

September 3, 2021

Title Plot Shipboard DAS Data

Version 1.4.6

Description A utility program oriented to create maps, plot data, and do basic data summaries of 'DAS' data <<https://swfsc-publications.fisheries.noaa.gov/publications/TM/SWFSC/NOAA-TM-NMFS-SWFSC-305.PDF>> produced by 'WinCruz' from the Southwest Fisheries Science Center. <<https://www.fisheries.noaa.gov/west-coast/science-data/california-current-marine-mammal-assessment-program>>.

URL <https://smwoodman.github.io/CruzPlot/>,
<https://github.com/smwoodman/CruzPlot/>

BugReports <https://github.com/smwoodman/CruzPlot/issues/>

Imports dplyr, DT, geosphere, mapdata, marmap, maps, shiny, shinydashboard, shinyjs, stringr, swfscDAS (>= 0.3.0)

Suggests httr, testthat

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.1

NeedsCompilation no

Author Sam Woodman [aut, cre] (<<https://orcid.org/0000-0001-6071-8186>>),
Tim Gerrodette [aut]

Maintainer Sam Woodman <sam.woodman@noaa.gov>

Repository CRAN

Date/Publication 2021-09-03 21:10:06 UTC

R topics documented:

CruzPlot-package	2
cruzplot_gui	2
Index	3

CruzPlot-package *CruzPlot*

Description

Create maps of shipboard DAS data

Details

A utility program oriented to create maps, plot data, and do basic data summaries from data files in the "DAS" format produced by WinCruz.

Author(s)

Sam Woodman <sam.woodman@noaa.gov>

See Also

<https://smwoodman.github.io/CruzPlot/>

cruzplot_gui *Open CruzPlot*

Description

Open the CruzPlot utility program, an R Shiny application

Usage

```
cruzplot_gui(launch.browser = TRUE)
```

Arguments

launch.browser Logical with default of TRUE; passed to launch.browser argument of [runApp](#)

See Also

<https://smwoodman.github.io/CruzPlot/>

Examples

```
if (interactive()) cruzplot_gui(launch.browser = TRUE)
```

Index

* **package**

CruzPlot-package, [2](#)

CruzPlot (CruzPlot-package), [2](#)

cruzplot (CruzPlot-package), [2](#)

CruzPlot-package, [2](#)

cruzplot_gui, [2](#)

runApp, [2](#)