

Package ‘SCGLR’

October 12, 2022

Type Package

Title Supervised Component Generalized Linear Regression

Description An extension of the Fisher Scoring Algorithm to combine PLS regression with GLM estimation in the multivariate context. Covariates can also be grouped in themes.

Version 3.0

Date 2018-09-24

License CeCILL-2 | GPL-2

URL <https://scnext.github.io/SCGLR>, <https://github.com/SCnext/SCGLR>,
<https://cran.r-project.org/package=SCGLR>

BugReports <https://github.com/SCnext/SCGLR/issues>

Depends R (>= 3.0.0)

Imports Matrix,Formula,expm,graphics,ggplot2,grid,pROC,ade4

Suggests parallel,gridExtra

LazyData yes

RoxygenNote 6.1.0

Encoding UTF-8

NeedsCompilation no

Author Guillaume Cornu [aut, cre] (<<https://orcid.org/0000-0002-7523-5176>>),
Frederic Mortier [aut],
Catherine Trottier [aut],
Xavier Bry [aut],
Sylvie Gourlet-Fleury [dct] (<<https://orcid.org/0000-0002-1136-4307>>,
<http://www.coforchange.eu/>),
Claude Garcia [dct] (<<https://orcid.org/0000-0002-7351-0226>>,
<http://www.cofortips.org/>)

Maintainer Guillaume Cornu <gcornu@cirad.fr>

Repository CRAN

Date/Publication 2018-09-28 09:30:03 UTC

R topics documented:

critConvergence	2
customize	3
genus	4
methodSR	5
multivariateFormula	6
pairs.SCGLR	7
plot.SCGLR	7
plot.SCGLRTHM	9
scglr	9
scglrCrossVal	11
scglrTheme	13
scglrThemeBackward	15
screepLOT.SCGLR	17
screepLOT.SCGLRTHM	17
Index	18

critConvergence	<i>Auxiliary function for controlling SCGLR fitting</i>
-----------------	---

Description

Auxiliary function for scglr fitting used to construct a convergence control argument.

Usage

```
critConvergence(tol = 1e-06, maxit = 50)
```

Arguments

tol	positive convergence threshold.
maxit	integer, maximum number of iterations.

Value

a list containing elements named as the arguments.

customize

*Plot customization***Description**

Parameters used to choose what to plot and how. These parameters are given to `plot.SCGLR` and `pairs.SCGLR`.

Details

Parameter name can be abbreviated (e.g. `pred.col` will be understood as `predictors.color`).

Options can be set globally using `options("plot.SCGLR")`. It will then provide default values that can be further overridden by giving explicit parameter value.

<i>parameter name</i>	<i>type (default value). Description.</i>
<code>title</code>	string (NULL). Main title of plot (override built-in).
<code>labels.auto</code>	logical (TRUE). Should covariate or predictor labels be aligned with arrows.
<code>labels.offset</code>	numeric (0.01). Offset by which labels should be moved from tip of arrows.
<code>labels.size</code>	numeric (1). Relative size for labels. Use it to globally alter label size.
<code>expand</code>	numeric (1). Expand factor for windows size. Use it for example to make room for clipped labels.
<code>threshold</code>	numeric. All covariates and/or predictors whose sum of square correlations with the two components exceeds this value.
<code>observations</code>	logical (FALSE). Should we draw observations.
<code>observations.size</code>	numeric (1). Point size.
<code>observations.color</code>	character ("black"). Point color.
<code>observations.alpha</code>	numeric (1). Point transparency.
<code>observations.factor</code>	logical (FALSE). Paint observations according to factor (specify factor).
<code>predictors</code>	logical or array of characters (FALSE). Should we draw predictors and optionally which one (TRUE) (string "red"). Base color used to draw predictors.
<code>predictors.color</code>	string ("red"). Base color used to draw predictors.
<code>predictors.alpha</code>	numeric (1). Overall transparency for predictors (0 is transparent, 1 is opaque).
<code>predictors.arrows</code>	logical (TRUE). Should we draw arrows for predictors.
<code>predictors.arrows.color</code>	string (predictors.color). Specific color for predictor arrows.
<code>predictors.arrows.alpha</code>	numeric (predictors.alpha). Transparency for predictor arrows.
<code>predictors.labels</code>	logical (TRUE). Should we draw labels for predictors.
<code>predictors.labels.color</code>	string (predictors.color). Specific color for predictor labels.
<code>predictors.labels.alpha</code>	numeric (predictors.alpha). Transparency for predictor labels.
<code>predictors.labels.size</code>	numeric (labels.size). Specific size for predictor labels.
<code>predictors.labels.auto</code>	logical (labels.auto). Should predictor labels be aligned with arrows.
<code>covariates</code>	logical or array of characters (TRUE). Should we draw covariates and optionally which one (TRUE) (string "black"). Base color used to draw covariates.
<code>covariates.color</code>	string ("black"). Base color used to draw covariates.
<code>covariates.alpha</code>	numeric (1). Overall transparency for covariates (0 is transparent, 1 is opaque).
<code>covariates.arrows</code>	logical (TRUE). Should we draw arrows for covariates.
<code>covariates.arrows.color</code>	string (covariates.color). Specific color for covariate arrows.
<code>covariates.arrows.alpha</code>	numeric (covariates.alpha). Transparency for covariate arrows.
<code>covariates.labels</code>	logical (TRUE). Should we draw labels for predictors.
<code>covariates.labels.color</code>	string (covariates.color). Specific color for predictor labels.
<code>covariates.labels.alpha</code>	numeric (covariates.alpha). Transparency for covariate labels.
<code>covariates.labels.size</code>	numeric (labels.size). Specific size for covariate labels.

covariates.labels.auto	logical (labels.auto). Should covariate labels be aligned with arrows.
factor	logical or character (FALSE). Should we draw a factor chosen among additional variables (TRUE).
factor.points	logical (TRUE). Should symbol be drawn for factors.
factor.points.size	numeric (4). Symbol size.
factor.points.shape	numeric (13). Point shape.
factor.labels	logical (TRUE). Should factor labels be drawn.
factor.labels.color	string ("black"). Color used to draw labels.
factor.labels.size	numeric (labels.size). Specific size for factor labels.

Examples

```
## Not run:
# setting parameters
plot(genus.scglr)
plot(genus.scglr, predictors=TRUE)
plot(genus.scglr, predictors=TRUE, pred.arrows=FALSE)

# setting global style
options(plot.SCGLR=list(predictors=TRUE, pred.arrows=FALSE))
plot(genus.scglr)

# setting custom style
myStyle <- list(predictors=TRUE, pred.arrows=FALSE)
plot(genus.scglr, style=myStyle)

## End(Not run)
```

genus

Sample dataset of abundance of genera in tropical moist forest

Description

Genus gives the abundance of 27 common tree genera in the tropical moist forest of the Congo-Basin and 40 geo-referenced environmental variables on one thousand 8 by 8 km plots (observations). Each plot's data was obtained by aggregating the data measured on a variable number of previously sampled 0.5 ha sub-plots. Geo-referenced environmental variables were used to describe the physical factors as well as vegetation characteristics. 14 physical factors were used pertaining the description of topography, geology and rainfall of each plot. Vegetation is characterized through 16-days enhanced vegetation index (EVI) data.

Format

gen1 to gen27	abundance of the 27 common genera.
altitude	above-sea level in meters.
pluvio_yr	mean annual rainfall.
forest	classified into seven classes.
pluvio_1 to pluvio_12	monthly rainfalls.

geology	5-level geological substrate.
evi_1 to evi_23	16-days enhanced vegetation indexes.
lon and lat	position of the plot centers.
surface	sampled area.

Note

The use of this dataset for publication must make reference to the CoForChange project.

Author(s)

CoForChange project

References

- S. Gourlet-Fleury et al. (2009–2014) CoForChange project: <http://www.coforchange.eu/>
 C. Garcia et al. (2013–2015) CoForTips project: <http://www.cofortips.org/>

 methodSR

Regularization criterion types

Description

Regularization criterion types

Usage

```
methodSR(phi = "vpi", l = 1, s = 1/2, maxiter = 1000,
          epsilon = 1e-06, bailout = 10)
```

Arguments

phi	character string describing structural relevance used in the regularization process. Allowed values are "vpi" for Variable Powered Inertia and "cv" for Component Variance. Default to "vpi".
l	is an integer argument (>1) tuning the importance of variable bundle locality.
s	is a numeric argument (in [0,1]) tuning the strength of structural relevance with respect to goodness of fit.
maxiter	integer for maximum number of iterations of SR function
epsilon	positive convergence threshold
bailout	integer argument

 multivariateFormula *Formula construction*

Description

Helper function for building multivariate scglr formula.

NOTE: Interactions involving factors are not allowed for now. For interactions between two quantitative variables, use $I(x*y)$ as usual.

Usage

```
multivariateFormula(Y, X = NULL, ..., A = NULL, additional = NULL,
  data = NULL)
```

Arguments

Y	a formula or a vector of character containing the names of the dependent variables.
X	a vector of character containing the names of the covariates (X) involved in the components or a list of it.
...	additional groups of covariates (theme)
A	a vector of character containing the names of the additional covariates.
additional	logical (if A is not provided, should we consider last X to be additional covariates)
data	a data frame against which formula's variable will be checked

Details

If Y is given as a formula, groups of covariates must be separated by | (pipes). To declare last group as additional covariates, one can use || (double pipes) as last group separator or set additional parameter as TRUE.

Value

an object of class MultivariateFormula, Formula, formula with additional attributes: Y, X, A, X_vars, Y_vars, A_vars, XA_vars, YXA_vars, additional

Examples

```
## Not run:
# build multivariate formula
ny <- c("y1", "y2")
nx1 <- c("x11", "x12")
nx2 <- c("x21", "x22")
nadd <- c("add1", "add2")
form <- multivariateFormula(ny, nx1, nx2, nadd, additional=T)
```

```

form2 <- multivariateFormula(ny,list(nx1,nx2,nadd),additional=T)
form3 <- multivariateFormula(ny,list(nx1,nx2),A=nadd)
form4 <- multivariateFormula(y1+y2~x11+x12|x21+x22||add1+add2)
# Print formulas
form
form2
form3

## End(Not run)

```

pairs.SCGLR	<i>Pairwise scglr plot on components</i>
-------------	--

Description

Pairwise scglr plot on components

Usage

```

## S3 method for class 'SCGLR'
pairs(x, ..., nrow = NULL, ncol = NULL,
      components = NULL)

```

Arguments

x	object of class 'SCGLR', usually a result of running scglr .
...	optionally, further arguments forwarded to plot.SCGLR .
nrow	number of rows of the grid layout.
ncol	number of columns of the grid layout.
components	vector of integers selecting components to plot (default is all components).

See Also

For pairs application see examples in [plot.SCGLR](#)

plot.SCGLR	<i>SCGLR generic plot</i>
------------	---------------------------

Description

SCGLR generic plot

Usage

```

## S3 method for class 'SCGLR'
plot(x, ..., style = getOption("plot.SCGLR"),
     plane = c(1, 2))

```

Arguments

x	an object from SCGLR class.
...	optional arguments (see customize).
style	named list of values used to customize the plot (see customize)
plane	a size-2 vector (or comma separated string) indicating which components are plotted (eg: c(1,2) or "1,2").

Value

an object of class [ggplot](#).

Examples

```
## Not run:
library(SCGLR)

# load sample data
data(genus)

# get variable names from dataset
n <- names(genus)
ny <- n[grep("^gen",n)] # Y <- names that begins with "gen"
nx <- n[-grep("^gen",n)] # X <- remaining names

# remove "geology" and "surface" from nx
# as surface is offset and we want to use geology as additional covariate
nx <- nx[!nx%in%c("geology","surface")]

# build multivariate formula
# we also add "lat*lon" as computed covariate
form <- multivariateFormula(ny,c(nx,"I(lat*lon)"),c("geology"))

# define family
fam <- rep("poisson",length(ny))

genus.scglr <- scglr(formula=form,data = genus,family=fam, K=4,
  offset=genus$surface)

summary(genus.scglr)

barplot(genus.scglr)

plot(genus.scglr)

plot(genus.scglr, predictors=TRUE, factor=TRUE)

pairs(genus.scglr)

## End(Not run)
```

plot.SCGLRTHM	<i>SCGLRTHM generic plot</i>
---------------	------------------------------

Description

SCGLR generic plot for themes

Usage

```
## S3 method for class 'SCGLRTHM'
plot(x, ...)
```

Arguments

x	an object from SCGLRTHM class.
...	see SCGLR plot method

Value

an object of class [ggplot](#).

scglr	<i>Function that fits the scglr model</i>
-------	---

Description

Calculates the components to predict all the dependent variables.

Usage

```
scglr(formula, data, family, K = 1, size = NULL, weights = NULL,
      offset = NULL, subset = NULL, na.action = na.omit, crit = list(),
      method = methodSR())
```

Arguments

formula	an object of class <code>MultivariateFormula</code> (or one that can be coerced to that class): a symbolic description of the model to be fitted.
data	a data frame to be modeled.
family	a vector of character of the same length as the number of dependent variables: "bernoulli", "binomial", "poisson" or "gaussian" is allowed.
K	number of components, default is one.
size	describes the number of trials for the binomial dependent variables. A (number of statistical units * number of binomial dependent variables) matrix is expected.

weights	weights on individuals (not available for now)
offset	used for the poisson dependent variables. A vector or a matrix of size: number of observations * number of Poisson dependent variables is expected.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
crit	a list of two elements : <code>maxit</code> and <code>tol</code> , describing respectively the maximum number of iterations and the tolerance convergence criterion for the Fisher scoring algorithm. Default is set to 50 and 10e-6 respectively.
method	structural relevance criterion. Object of class "method.SCGLR" built by methodSR for Structural Relevance.

Value

an object of the SCGLR class.

The function [summary](#) (i.e., [summary.SCGLR](#)) can be used to obtain or print a summary of the results.

The generic accessor functions [coef](#) can be used to extract various useful features of the value returned by `scglr`.

An object of class "SCGLR" is a list containing following components:

<code>u</code>	matrix of size (number of regressors * number of components), contains the component-loadings, i.e. the coefficients of the regressors in the linear combination giving each component.
<code>comp</code>	matrix of size (number of statistical units * number of components) having the components as column vectors.
<code>compr</code>	matrix of size (number of statistical units * number of components) having the standardized components as column vectors.
<code>gamma</code>	list of length number of dependant variables. Each element is a matrix of coefficients, standard errors, z-values and p-values.
<code>beta</code>	matrix of size (number of regressors + 1 (intercept) * number of dependent variables), contains the coefficients of the regression on the original regressors X.
<code>lin.pred</code>	data.frame of size (number of statistical units * number of dependent variables), the fitted linear predictor.
<code>xFactors</code>	data.frame containing the nominal regressors.
<code>xNumeric</code>	data.frame containing the quantitative regressors.
<code>inertia</code>	matrix of size (number of components * 2), contains the percentage and cumulative percentage of the overall regressors' variance, captured by each component.
<code>logLik</code>	vector of length (number of dependent variables), gives the likelihood of the model of each y_k 's GLM on the components.
<code>deviance.null</code>	vector of length (number of dependent variables), gives the deviance of the null model of each y_k 's GLM on the components.
<code>deviance.residual</code>	vector of length (number of dependent variables), gives the deviance of the model of each y_k 's GLM on the components.

References

Bry X., Trottier C., Verron T. and Mortier F. (2013) Supervised Component Generalized Linear Regression using a PLS-extension of the Fisher scoring algorithm. *Journal of Multivariate Analysis*, 119, 47-60.

Examples

```
## Not run:
library(SCGLR)

# load sample data
data(genus)

# get variable names from dataset
n <- names(genus)
ny <- n[grep("^gen",n)] # Y <- names that begins with "gen"
nx <- n[-grep("^gen",n)] # X <- remaining names

# remove "geology" and "surface" from nx
# as surface is offset and we want to use geology as additional covariate
nx <- nx[!nx%in%c("geology","surface")]

# build multivariate formula
# we also add "lat*lon" as computed covariate
form <- multivariateFormula(ny,c(nx,"I(lat*lon)"),A=c("geology"))

# define family
fam <- rep("poisson",length(ny))

genus.scglr <- scglr(formula=form,data = genus,family=fam, K=4,
  offset=genus$surface)

summary(genus.scglr)

## End(Not run)
```

scglrCrossVal

Function that fits and selects the number of component by cross-validation.

Description

Function that fits and selects the number of component by cross-validation.

Usage

```
scglrCrossVal(formula, data, family, K = 1, nfolds = 5,
  type = "mspe", size = NULL, offset = NULL, subset = NULL,
  na.action = na.omit, crit = list(), method = methodSR(),
  mc.cores = 1)
```

Arguments

formula	an object of class "Formula" (or one that can be coerced to that class): a symbolic description of the model to be fitted.
data	the data frame to be modeled.
family	a vector of character of length q specifying the distributions of the responses. Bernoulli, binomial, poisson and gaussian are allowed.
K	number of components, default is one.
nfolds	number of folds, default is 5. Although nfolds can be as large as the sample size (leave-one-out CV), it is not recommended for large datasets.
type	loss function to use for cross-validation. Currently six options are available depending on whether the responses are of the same distribution family. If the responses are all bernoulli distributed, then the prediction performance may be measured through the area under the ROC curve: type = "auc" In any other case one can choose among the following five options ("likelihood", "aic", "aicc", "bic", "mspe").
size	specifies the number of trials of the binomial variables included in the model. A (n*qb) matrix is expected for qb binomial variables.
offset	used for the poisson dependent variables. A vector or a matrix of size: number of observations * number of Poisson dependent variables is expected.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to the na.omit.
crit	a list of two elements : maxit and tol, describing respectively the maximum number of iterations and the tolerance convergence criterion for the Fisher scoring algorithm. Default is set to 50 and 10e-6 respectively.
method	Regularization criterion type. Object of class "method.SCGLR" built by methodSR for Structural Relevance.
mc.cores	max number of cores to use when using parallelization (Not available in windows yet and strongly discouraged if in interactive mode).

Value

a matrix containing the criterion values for each response (rows) and each number of components (columns).

References

Bry X., Trottier C., Verron T. and Mortier F. (2013) Supervised Component Generalized Linear Regression using a PLS-extension of the Fisher scoring algorithm. *Journal of Multivariate Analysis*, 119, 47-60.

Examples

```
## Not run:
library(SCGLR)

# load sample data
data(genus)

# get variable names from dataset
n <- names(genus)
ny <- n[grep("^gen",n)] # Y <- names that begins with "gen"
nx <- n[-grep("^gen",n)] # X <- remaining names

# remove "geology" and "surface" from nx
# as surface is offset and we want to use geology as additional covariate
nx <- nx[!nx%in%c("geology","surface")]

# build multivariate formula
# we also add "lat*lon" as computed covariate
form <- multivariateFormula(ny,c(nx,"I(lat*lon)"),A=c("geology"))

# define family
fam <- rep("poisson",length(ny))

# cross validation
genus.cv <- scglrCrossVal(formula=form, data=genus, family=fam, K=12,
  offset=genus$surface)

# find best K
mean.crit <- colMeans(log(cv))

#plot(mean.crit, type="l")

## End(Not run)
```

scglrTheme

Function that fits the theme model

Description

Calculates the components to predict all the dependent variables.

Usage

```
scglrTheme(formula, data, H, family, size = NULL, weights = NULL,
  offset = NULL, subset = NULL, na.action = na.omit, crit = list(),
  method = methodSR(), st = FALSE)
```

Arguments

formula	an object of class " MultivariateFormula " (or one that can be coerced to that class): a symbolic description of the model to be fitted. The details of model specification are given under Details.
data	data frame.
H	vector of R integer. Number of components to keep for each theme
family	a vector of character of the same length as the number of dependent variables: "bernoulli", "binomial", "poisson" or "gaussian" is allowed.
size	describes the number of trials for the binomial dependent variables. A (number of statistical units * number of binomial dependent variables) matrix is expected.
weights	weights on individuals (not available for now)
offset	used for the poisson dependent variables. A vector or a matrix of size: number of observations * number of Poisson dependent variables is expected.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to <code>na.omit</code> .
crit	a list of two elements : <code>maxit</code> and <code>tol</code> , describing respectively the maximum number of iterations and the tolerance convergence criterion for the Fisher scoring algorithm. Default is set to 50 and 10e-6 respectively.
method	structural relevance criterion. Object of class "method.SCGLR" built by methodSR for Structural Relevance.
st	logical (FALSE) theme build and fit order. TRUE means random, FALSE means sequential (T1, ..., Tr)

Details

Models for theme are specified symbolically. A model as the form `response ~ terms` where `response` is the numeric response vector and `terms` is a series of R themes composed of predictors. Themes are separated by "|" (pipe) and are composed. ... `Y1+Y2+... ~ X11+X12+...+X1_ | X21+X22+... | ...+X1_+... | A1+A2+...` See [multivariateFormula](#).

Value

a list of SCGLRTHM class. Each element is a SCGLR object

Examples

```
## Not run:
library(SCGLR)

# load sample data
data(genus)

# get variable names from dataset
n <- names(genus)
```

```

n <- n[!n%in%c("geology", "surface", "lon", "lat", "forest", "altitude")]
ny <- n[grep("^gen", n)] # Y <- names that begins with "gen"
nx1 <- n[grep("^evi", n)] # X <- remaining names
nx2 <- n[-c(grep("^evi", n), grep("^gen", n))]

form <- multivariateFormula(ny, nx1, nx2, A=c("geology"))
fam <- rep("poisson", length(ny))
testthm <- scglrTheme(form, data=genus, H=c(2, 2), family=fam, offset = genus$surface)
plot(testthm)

## End(Not run)

```

scglrThemeBackward *Theme Backward selection*

Description

Perform component selection by cross-validation backward approach

Usage

```

scglrThemeBackward(formula, data, H, family, size = NULL,
  weights = NULL, offset = NULL, na.action = na.omit,
  crit = list(), method = methodSR(), kfolds = 10, type = "mspe",
  st = FALSE)

```

Arguments

formula	an object of class "Formula" (or one that can be coerced to that class): a symbolic description of the model to be fitted. The details of model specification are given under Details.
data	data frame.
H	vector of R integer. Number of components to keep for each theme
family	a vector of character of the same length as the number of dependent variables: "bernoulli", "binomial", "poisson" or "gaussian" is allowed.
size	describes the number of trials for the binomial dependent variables. A (number of statistical units * number of binomial dependent variables) matrix is expected.
weights	weights on individuals (not available for now)
offset	used for the poisson dependent variables. A vector or a matrix of size: number of observations * number of Poisson dependent variables is expected.
na.action	a function which indicates what should happen when the data contain NAs. The default is set to na.omit.
crit	a list of two elements : maxit and tol, describing respectively the maximum number of iterations and the tolerance convergence criterion for the Fisher scoring algorithm. Default is set to 50 and 10e-6 respectively.

method	structural relevance criterion. Object of class "method.SCGLR" built by methodSR for Structural Relevance.
kfolds	number of folds - default is 10. Although nfolds can be as large as the sample size (leave-one-out CV), it is not recommended for large datasets. Smallest value allowable is nfolds=2 Models for theme are specified symbolically. A model as the form response ~ terms where response is the numeric response vector and terms is a series of R themes composed of predictors. Themes are separated by " " (pipe) and are composed.... Y1+Y2+... ~ X11+X12+...+X1_ X21+X22+... ...+X1_+... A1+A2+... See multivariateFormula .
type	loss function to use for cross-validation. Currently six options are available depending on whether the responses are of the same distribution family. If the responses are all bernoulli distributed, then the prediction performance may be measured through the area under the ROC curve: type = "auc" In any other case one can choose among the following five options ("likelihood", "aic", "aicc", "bic", "mspe").
st	logical (FALSE) theme build and fit order. TRUE means random, FALSE means sequential (T1, ..., Tr)

Value

a list containing the path followed along the selection process, the associated mean square predictor error and the best configuration.

Examples

```
## Not run:
library(SCGLR)

# load sample data
data(genus)

# get variable names from dataset
n <- names(genus)
n <- n[!n%in%c("geology", "surface", "lon", "lat", "forest", "altitude")]
ny <- n[grep("^gen",n)] # Y <- names that begins with "gen"
nx1 <- n[grep("^evi",n)] # X <- remaining names
nx2 <- n[-c(grep("^evi",n),grep("^gen",n))]

form <- multivariateFormula(ny,nx1,nx2,A=c("geology"))
fam <- rep("poisson",length(ny))
testcv <- scglrThemeBackward(form,data=genus,H=c(2,2),family=fam,offset = genus$surface,kfolds=2)
Cross-validation pathway
testcv$H_path
Plot criterion
plot(testcv$cv_path)
Best combination
testcv$H_best

## End(Not run)
```

screepLOT.SCGLR	<i>ScreepLOT of percent of overall X variance captured by component</i>
-----------------	---

Description

ScreepLOT of percent of overall X variance captured by component

Usage

```
## S3 method for class 'SCGLR'
screepLOT(x, ...)
```

Arguments

x object of class 'SCGLR', usually a result of running [scglr](#).
 ... optional arguments.

Value

an object of class ggplot.

See Also

For screepLOT application see examples in [plot.SCGLR](#).

screepLOT.SCGLRTHM	<i>ScreepLOT of percent of overall X variance captured by component</i>
--------------------	---

Description

ScreepLOT of percent of overall X variance captured by component by theme

Usage

```
## S3 method for class 'SCGLRTHM'
screepLOT(x, ...)
```

Arguments

x object of class 'SCGLRTHM', usually a result of running [theme](#).
 ... optional arguments.

Value

an object of class ggplot.

Index

coef, [10](#)
critConvergence, [2](#)
customize, [3](#), [8](#)

Formula, [15](#)

genus, [4](#)
ggplot, [8](#), [9](#)

methodSR, [5](#), [10](#), [12](#), [14](#), [16](#)
MultivariateFormula, [14](#)
multivariateFormula, [6](#), [14](#), [16](#)

pairs.SCGLR, [3](#), [7](#)
plot.SCGLR, [3](#), [7](#), [7](#), [17](#)
plot.SCGLRTHM, [9](#)

scglr, [7](#), [9](#), [17](#)
scglrCrossVal, [11](#)
scglrTheme, [13](#)
scglrThemeBackward, [15](#)
screepLOT.SCGLR, [17](#)
screepLOT.SCGLRTHM, [17](#)
summary, [10](#)
summary.SCGLR, [10](#)

theme, [17](#)