

Package ‘bigassertr’

April 1, 2020

Title Assertion and Message Functions

Version 0.1.3

Date 2020-04-01

Description Enhanced message functions (cat() / message() / warning() / error()) using wrappers around sprintf(). Also, multiple assertion functions (e.g. to check class, length, values, files, arguments, etc.).

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

Suggests testthat, covr

URL <https://github.com/privefl/bigassertr>

BugReports <https://github.com/privefl/bigassertr/issues>

NeedsCompilation no

Author Florian Privé [aut, cre]

Maintainer Florian Privé <florian.prive.21@gmail.com>

Repository CRAN

Date/Publication 2020-04-01 11:10:03 UTC

R topics documented:

assert	2
printf	4

Index	6
--------------	----------

`assert`*Assertions*

Description

- `assert_nona()`: checks that there is no missing value.
- `assert_args()`: checks that `f` is a function and that it has arguments called `args.name`.
- `assert_lengths()`: checks that objects have the same length.
- `assert_one_int()`: checks that object is integer-ish of length 1.
- `assert_int()`: checks that values are integer-ish (or NULL).
- `assert_pos()`: checks that values are (strictly) positive.
- `assert_01()`: checks that values are either 0 or 1.
- `assert_multiple()`: checks that there are multiple unique values. Errors if there are one unique values (or none). Warns if there are two unique values only.
- `assert_class()`: checks that object is of a particular class.
- `assert_class_or_null()`: checks that object is of a particular class (or NULL).
- `assert_all()`: checks that all values of an object are the same as `value`. Default checks that values are all TRUE. This function tests equality; beware precision errors (e.g. $(0.1 + 0.2) \neq 0.3$).
- `assert_dir()`: checks that directory exists, or tries to create it.
- `assert_exist()`: checks that file exists.
- `assert_noexist()`: checks that file does not exist.
- `assert_nodots()`: checks that `. . .` are not used in a function.
- `assert_ext()`: checks that file has a particular extension.
- `assert_type()`: checks that values are of a particular type.
- `assert_sorted()`: checks that values are sorted.
- `assert_package()`: checks that a package is installed.

Usage`assert_nona(x)``assert_args(f, args.name)``assert_lengths(...)``assert_int(x)``assert_one_int(x)``assert_pos(x, strict = TRUE)`

```
assert_01(x)
assert_multiple(x)
assert_class(x, class)
assert_class_or_null(x, class)
assert_all(x, value = TRUE)
assert_dir(dir.path)
assert_exist(file)
assert_noexist(file)
assert_nodots()
assert_ext(file, ext)
assert_type(x, type)
assert_sorted(x, strict = FALSE)
assert_package(pkg)
```

Arguments

x	Usually a vector.
f	A function.
args.name	Vector of (argument) names to check.
...	Objects to check.
strict	Whether to check for strict positivity? Default is TRUE.
class	Class to check.
value	Value to check.
dir.path	Directory to check.
file	File to check.
ext	Extension to check (without the dot at the beginning).
type	Type to check.
pkg	Name of a package.

Examples

```
assert_nona(1:3)
assert_args(assert_nona, "x")
```

```
assert_lengths(1:3, 4:6, as.list(1:3))
assert_int(c(1, 2, 3))
assert_01(c(0, 1, 0))
assert_multiple(1:3)
assert_class(assert_nona, "function")
assert_all(1:3 > 0)
assert_all(rep(0, 3), 0)
assert_dir(tempdir())
assert_noexist(tmp <- tempfile())
write("test", tmp)
assert_exist(tmp)
assert_ext("test.txt", "txt")
assert_type(1:3, "integer")
assert_sorted(1:3)
assert_package("stats")

test <- function(...) {
  assert_nodots()
  NULL
}
test()
```

printf

Easy messages

Description

Easy messages

Usage

printf(...)

message2(...)

warning2(...)

stop2(...)

Arguments

... Arguments passed on to [base::sprintf](#).

See Also

[base::sprintf](#)

printf

5

Examples

```
printf("My name is %s.", "Florian")
```

Index

`assert`, [2](#)
`assert_01 (assert)`, [2](#)
`assert_all (assert)`, [2](#)
`assert_args (assert)`, [2](#)
`assert_class (assert)`, [2](#)
`assert_class_or_null (assert)`, [2](#)
`assert_dir (assert)`, [2](#)
`assert_exist (assert)`, [2](#)
`assert_ext (assert)`, [2](#)
`assert_int (assert)`, [2](#)
`assert_lengths (assert)`, [2](#)
`assert_multiple (assert)`, [2](#)
`assert_nodots (assert)`, [2](#)
`assert_noexist (assert)`, [2](#)
`assert_nona (assert)`, [2](#)
`assert_one_int (assert)`, [2](#)
`assert_package (assert)`, [2](#)
`assert_pos (assert)`, [2](#)
`assert_sorted (assert)`, [2](#)
`assert_type (assert)`, [2](#)

`base::sprintf`, [4](#)

`message2 (printf)`, [4](#)

`printf`, [4](#)

`stop2 (printf)`, [4](#)

`warning2 (printf)`, [4](#)