

Package ‘MVA’

March 12, 2021

Title An Introduction to Applied Multivariate Analysis with R

Date 2021-03-12

Version 1.0-7

Author Brian S. Everitt and Torsten Hothorn

Maintainer Torsten Hothorn <Torsten.Hothorn@R-project.org>

Description Functions, data sets, analyses and examples from the book
`An Introduction to Applied Multivariate Analysis with R'
(Brian S. Everitt and Torsten Hothorn, Springer, 2011).

Depends HSAUR2

Suggests mvtnorm, mclust, lattice, flexclust, nlme, RLRsim, multcomp,
ape, MASS, sem, KernSmooth, scatterplot3d

URL <http://dx.doi.org/10.1007/978-1-4419-9650-3>

License GPL-2

Encoding UTF-8

NeedsCompilation no

Repository CRAN

Date/Publication 2021-03-12 14:40:02 UTC

R topics documented:

bvbox	2
chiplot	2
stalac	3

Index	4
--------------	----------

bvbox

Bivariate Boxplot

Description

Boxplots in two dimensions

Usage

```
bvbox(a, d = 7, mtitle = "Bivariate Boxplot", method = "robust",  
      xlab = "X", ylab = "Y", add = FALSE, ...)
```

Arguments

a	a matrix
d	dimension
mtitle	title
method	character
xlab	x axis label
ylab	y axis label
add	add to existing plot?
...	additional plot arguments

Details

See Chapter 2: Visualization.

chplot

Chi-squared Plot

Description

Chi-squared plot for independence

Usage

```
chplot(x, y, ...)
```

Arguments

x	a numeric vector
y	a numeric vector
...	additional plot arguments

Details

See Chapter 2: Visualization.

stalac

Stalactite plot

Description

The stalactite plot, specifically designed for the detection and identification of multivariate outliers.

Usage

stalac(x)

Arguments

x numeric vector

Details

See Chapter 2: Visualization.

Index

* **plot**
 bvbox, 2
 chiplot, 2
 stalac, 3

bvbox, 2

chiplot, 2

stalac, 3