

Package ‘Rilostat’

May 13, 2019

Type Package

Title ILO Open Data via Ilostat Bulk Download Facility or SDMX Web Service

Date 2019-04-30

Version 1.0.0

Encoding UTF-8

Maintainer David Bescond <bescond@ilo.org>

Description Tools to download data from the ilostat database <<http://www.ilo.org/ilostat>> together with search and manipulation utilities.

License BSD_2_clause + file LICENSE

Depends R (>= 3.1.2)

Imports plyr, dplyr (>= 0.8), stringr, readr (>= 1.3.1), tibble, haven, xml2, data.table, RCurl, DT

Suggests knitr, rmarkdown, devtools, plotly, ggplot2 (>= 2.2.1), plotrix, shiny, tidyr

LazyData true

URL <https://ilostat.github.io/Rilostat/>

BugReports <https://github.com/ilostat/Rilostat/issues>

Repository CRAN

VignetteBuilder knitr

RoxygenNote 6.1.1

NeedsCompilation no

Author ILO Department of Statistics [cph, fnd],
David Bescond [aut, cre] (<<https://orcid.org/0000-0002-1642-0304>>),
Rosina Gammarano [ctb],
Mabelin Villarreal-Fuentes [ctb]

Date/Publication 2019-05-13 20:20:03 UTC

R topics documented:

clean_ilstat_cache	2
get_ilstat	3
get_ilstat_dic	6
get_ilstat_toc	7
ilstat	9
label_ilstat	10
sdmx_ilstat	12

Index	15
--------------	-----------

clean_ilstat_cache	<i>Clean Ilostata Cache</i>
--------------------	-----------------------------

Description

Deletes all cache files from the your ilostat cache directory. See [get_ilstat](#) for more on cache.

Usage

```
clean_ilstat_cache(cache_dir = getOption("ilstat_cache_dir",
  file.path(tempdir(), "ilstat")),
  cache_update = getOption("ilstat_cache_update", FALSE),
  quiet = getOption("ilstat_quiet", FALSE))
```

Arguments

cache_dir	A character, path to a cache directory. The directory has to exist. The NULL (default) uses and creates 'ilstat' directory in the temporary directory from tempdir . The directory can also be set with option <code>ilstat_cache_dir</code> ,
cache_update	a logical whether to delete only out of date cache files. Useful when <code>cache_dir</code> is set as keep only update datasets. Can be set also with options(<code>ilstat_update = TRUE</code>). Default is FALSE.
quiet	a logical, if TRUE , don't return message from processing, FALSE (default). Can be set also with options(<code>ilstat_quiet = TRUE</code>),

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("Rilostat") ilostat bulk download facility user guidelines https://www.ilo.org/ilstat-files/Documents/ILOSTAT_BulkDownload_Guidelines.pdf

Examples

```
## Not run:
clean_ilstat_cache()

## End(Not run)
```

get_ilstat	<i>Read Ilostat Data</i>
------------	--------------------------

Description

Download datasets from ilostat www.ilo.org/ilostat via bulk download facility http://www.ilo.org/ilostat-files/WEB_bulk_download/html/bulk_main.html.

Usage

```
get_ilstat(id, segment = getOption("ilstat_segment", "indicator"),
  type = getOption("ilstat_type", "code"),
  lang = getOption("ilstat_lang", "en"),
  time_format = getOption("ilstat_time_format", "raw"),
  filters = getOption("ilstat_filter", "none"),
  fixed = getOption("ilstat_fixed", TRUE),
  detail = getOption("ilstat_detail", "full"),
  cache = getOption("ilstat_cache", TRUE),
  cache_update = getOption("ilstat_cache_update", TRUE),
  cache_dir = getOption("ilstat_cache_dir", NULL),
  cache_format = getOption("ilstat_cache_format", "rds"),
  back = getOption("ilstat_back", TRUE),
  cmd = getOption("ilstat_cmd", "none"),
  quiet = getOption("ilstat_quiet", FALSE))
```

Arguments

id	A code name for the dataset of interest. See get_ilstat_toc or details for how to get code.
segment	A character, way to get datasets by: "indicator" (default) or "ref_area". Can be set also with options(ilstat_segment = 'ref_area'),
type	a character, type of variables, "code" (default), "label" or "both". Can be set also with options(ilstat_type = 'both'),
lang	a character, code for language. Available are "en" (default), "fr" and "es". Can be set also with options(ilstat_lang = 'fr'),
time_format	a string giving a type of the conversion of the time column from the ilostat format. "raw" (default) does not do conversion and return time as character (ie. '2017', '2017Q1', '2017M01'). A "date" converted to a Date with a first date of the period. A "date_last" converted to a Date with a last date of the period and "num" converted to a numeric. Can be set also with options(ilstat_time_format = 'date'),

filters	a list; "none" (default) to get a whole dataset or a named list of filters to get just part of the table. Names of list objects are ilostat variable codes and values are vectors of observation codes. filters detect on variables, so could be partial, ie. <code>list(sex = 'T')</code> is enough but equivalent to <code>list(sex = 'SEX_T')</code> . Additional options: <ul style="list-style-type: none"> • <code>timefrom</code> : starting year of the return dataset, • <code>timeto</code> : ending year of the return dataset.
fixed	a logical, if TRUE (default), filters arguments pattern is a string to be matched as is, Change to FALSE if more complex regex matching is needed.
detail	a character, 'full' (default), whether 'serieskeysonly', return only key, no data, no notes or dataonly return key and data, no notes or 'bestsourceonly' return best source only at the series key levels, see details. Can be set also with <code>options(ilstat_detail = 'serieskeysonly')</code> ,
cache	a logical whether to do caching. Default is TRUE. Affects only queries from the ilostat bulk download facility. Can be set also with <code>options(ilstat_cache = FALSE)</code> ,
cache_update	a logical whether to update cache. Check cache update with last.update attribute store on the cache file name and the one from the table of contents. Can be set also with <code>options(ilstat_cache_update = FALSE)</code> . Default is TRUE,
cache_dir	a path to a cache directory. The directory has to exist. The NULL (default) uses and creates 'ilstat' directory in the temporary directory from <code>tempdir</code> . The directory can also be set with option <code>ilstat_cache_dir</code> ,
cache_format	a character, format to store on the cache "rds" (default), but also "csv", "dta", "sav", "sas7bdat". useful for getting ilostat dataset directly on the cache_dir without R. Can be set also with <code>options(ilstat_cache_format = 'dta')</code> ,
back	a logical, TRUE return dataframe on R or not FALSE, useful for just saving file in specific cache_format,
cmd	a character, R expression use for manipulate internal data frame dat object applied to each datasets retrieved If use, cache is set to FALSE. see examples.
quiet	a logical, if TRUE , don't return message from processing, FALSE (default). Can be set also with <code>options(ilstat_quiet = TRUE)</code> ,

Value

a tibble. One column for each dimension in the data and the values column for numerical values, as well as the metadata columns. The time column for a time dimension.

others

Data sets are downloaded from the ilostat bulk download facility. If only the table id is given, the whole table is downloaded from the bulk download facility.

The bulk download facility is the fastest method to download whole datasets. It is also often the only way as the sdmx API has limitation of maximum 300 000 records at the same time and whole datasets usually exceeds that.

By default datasets from the bulk download facility are cached as they are often rather large.

Cache files are stored in a temporary directory by default or in a named directory if `cache_dir` or option `iloostat_cache_dir` is defined. The cache can be emptied with `clean_iloostat_cache`.

The id, a code, for the dataset can be searched with the `get_iloostat_toc` or from the [bulk download facility](http://www.ilo.org/iloostat-files/WEB_bulk_download/html/bulk_main.html).

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("Rilostat") iloostat bulk download facility user guidelines http://www.ilo.org/iloostat-files/WEB_bulk_download/ILOSTAT_BulkDownload_Guidelines.pdf

See Also

[get_iloostat_toc](#), [label_iloostat](#)

Examples

```
## Not run:
##### get simple dataset
dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A")
head(dat)
dat <- get_iloostat("NZL_Q", segment = "ref_area")
head(dat)

dir.create(file.path(tempdir(), "r_cache"))
dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A",
                  cache_dir = file.path(tempdir(), "r_cache"))
head(dat)

clean_iloostat_cache(cache_dir = file.path(tempdir(), "r_cache"))

options(iloostat_update = TRUE)
dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A")
head(dat)
options(iloostat_update = FALSE)
options(iloostat_cache_dir = file.path(tempdir(), "r_cache"))
dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A")

clean_iloostat_cache()

##### get multiple datasets
dat <- get_iloostat(c("CPI_ACPI_COI_RT_M", 'CPI_ACPI_COI_RT_Q'), cache = FALSE)
head(dat)
toc <- get_iloostat_toc(search = 'CPI_')
head(toc)
dat <- get_iloostat(toc, cache = FALSE) #id as a tibble

##### get datasets with filters
dat <- get_iloostat(id = c("UNE_2UNE_SEX_AGE_NB_A", 'EMP_2EMP_SEX_AGE_NB_A'),
```

```

filters = list( ref_area = "FRA",
  classif1 = "AGE_YTHADULT_YGE15",
  time = "2016",
  sex = c("T", 'SEX_F')), quiet = TRUE)
head(dat)
clean_iloostat_cache()

##### store in other format
dir.create(file.path(tempdir(), "iloostat"))

dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A",
  cache_dir = file.path(tempdir(), "r_cache"), cache_format = 'csv')
dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A",
  cache_dir = file.path(tempdir(), "r_cache"), cache_format = 'dta')

##### advanced manipulation

dat <- get_iloostat("UNE_2UNE_SEX_AGE_NB_A", cmd = "dat %>% count(ref_area)", quiet = TRUE)
label_iloostat(dat, code = 'ref_area')

clean_iloostat_cache()

## End(Not run)

```

get_iloostat_dic

Read Ilostat Dictionary

Description

Downloads one iloostat dictionary from iloostat www.ilo.org/iloostat via bulk download facility http://www.ilo.org/iloostat-files/WEB_bulk_download/html/bulk_main.html.

Usage

```
get_iloostat_dic(dic, lang = getOption("iloostat_lang", "en"))
```

Arguments

dic	A character, dictionary for the variable to be downloaded,
lang	a character, code for language. Available are "en" (default), "fr" and "es". Can be set also with options(iloostat_lang = 'fr'),

Details

For a given coded variable from iloostat www.ilo.org/iloostat. The dictionaries link codes with human-readable labels. To translate codes to labels, use [label_iloostat](#).

Value

tibble with two columns: code names and full names.

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("iloostat") iloostat bulk download facility user guidelines http://www.ilo.org/iloostat-files/WEB_bulk_download/ILOSTAT_BulkDownload_Guidelines.pdf iloostat bulk download facility main page http://www.ilo.org/iloostat-files/WEB_bulk_download/html/bulk_main.html

See Also

[label_iloostat](#), [get_iloostat](#).

Examples

```
## Not run:
tmp <- get_iloostat_dic("indicator")
head(tmp)
tmp <- get_iloostat_dic("classif1", lang = "fr")
head(tmp)

## End(Not run)
```

get_iloostat_toc

Read Ilostat Table of Contents

Description

Download one table of contents from iloostat www.ilo.org/iloostat via bulk download facility http://www.ilo.org/iloostat-files/WEB_bulk_download/html/bulk_main.html.

Usage

```
get_iloostat_toc(segment = getOption("iloostat_segment", "indicator"),
  lang = getOption("iloostat_lang", "en"),
  search = getOption("iloostat_search", "none"),
  filters = getOption("iloostat_filter", "none"),
  fixed = getOption("iloostat_fixed", TRUE))
```

Arguments

segment	A character, way to get datasets by: "indicator" (default) or "ref_area", Can be set also with options(iloostat_segment = 'ref_area'),
lang	a character, code for language. Available are "en" (default), "fr" and "es". Can be set also with options(iloostat_lang = 'fr'),
search	a character vector, "none" (default), datasets with this pattern in the description will be returned, characters vector will be use as AND, Character with ' ' as OR, see example, options(iloostat_time_format = 'date'),

filters	a list; "none" (default) to get a whole toc or a named list of filters to get just part of the table. Names of list objects are iloostat toc variable codes and values are vectors of observation codes. filters detect on variables.
fixed	a logical, if TRUE (default), pattern is a string to be matched as is, Change to FALSE if more complex regex matching is needed.

Details

The TOC in English by indicator is downloaded from http://www.ilo.org/iloostat-files/WEB_bulk_download/indicator/table_of_contents_en.csv. The values in column 'id' should be used to download a selected dataset.

The TOC in English by ref_area is downloaded from http://www.ilo.org/iloostat-files/WEB_bulk_download/ref_area/table_of_contents_en.csv. The values in column 'id' should be used to download a selected dataset.

The TOC in English by modelled_estimates is downloaded from http://www.ilo.org/iloostat-files/WEB_bulk_download/modelled_estimates/table_of_contents_en.csv. The values in column 'id' should be used to download a selected dataset.

Value

A tibble with ten columns depending of the segment: indicator or ref_area

- id : The codename of dataset of theme, will be used by the get_iloostat and get_iloostat_raw functions,
- indicator or ref_area : The indicator or ref_area code of dataset,
- indicator.label or ref_area.label : The indicator or ref_area name of dataset,
- freq : The frequency code of dataset,
- freq.label : Is freq name of dataset,
- size : Size of the csv.gz files,
- data.start : First time period of the dataset,
- data.end : Last time period of the dataset,
- last.update : Last update of the dataset,
- ... : Others relevant information

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("Rilostat") iloostat bulk download facility user guidelines http://www.ilo.org/iloostat-files/WEB_bulk_download/ILOSTAT_BulkDownload_Guidelines.pdf

See Also

[get_iloostat](#).

Examples

```
## Not run:
## default segment by indicator, default lang English
toc <- get_ilostat_toc()
head(toc)
toc <- get_ilostat_toc(segment = 'ref_area', lang = 'fr')
head(toc)
##
## search on toc
toc <- get_ilostat_toc(search = 'education')
head(toc)
toc <- get_ilostat_toc(lang = 'fr', search = 'Ã©ducation')
head(toc)
toc <- get_ilostat_toc(segment = 'ref_area', lang = 'fr', search = 'Albanie')
toc
toc <- get_ilostat_toc(segment = 'ref_area', lang = 'es', search = 'Trimestral')
head(toc)
##
## search multi on toc
toc <- get_ilostat_toc(segment = 'ref_area', lang = 'fr',
  search = 'Albanie|France', fixed = FALSE)
head(toc)
toc <- get_ilostat_toc(search = 'youth|adult', fixed = FALSE)
head(toc)
toc <- get_ilostat_toc(search = c('youth','adult'), fixed = FALSE)
head(toc)
##
## End(Not run)
```

ilostat

Get more Support

Description

On regular basis new tutorial and examples are building and available through this function.

Usage

```
ilostat(id = NULL)
```

Arguments

id a character, file that to use if NULL return the list of all available file.

Details

brief description of the package

Package: Rilostat
Type: Package
Version: See sessionInfo() or DESCRIPTION file
Date: 2015-2017
License: BSD_2_clause + LICENSE
LazyLoad: yes

R Tools for ilostat Open Data

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("Rilostat")

ilostat bulk download facility user guidelines https://www.ilo.org/ilostat-files/Documents/ILOSTAT_BulkDownload_Guidelines.pdf

Examples

```
## Not run:  
  
# check which documentation have been recently added:  
  
  ilostat()  
  
# get the first vignette:  
  
  ilostat('RilostatStart')  
  
## End(Not run)
```

label_ilstat

Switch Ilostat codes and labels

Description

Gets definitions/labels for ilostat codes from ilostat dictionaries.

Usage

```
label_ilstat(x, dic = NULL, code = NULL,  
            lang = getOption("ilostat_lang", "en"))
```

Arguments

x	A character or a factor vector or a data_frame to labelled.
dic	A string (vector) naming ilostat dictionary or dictionaries. If NULL (default) dictionary names are taken from column names of the data_frame. A character or a factor vector or a data_frame to labelled,
code	a vector of names of the column for which code columns should be retained. Set to "all", keep all the code.
lang	a character, code for language. Available are "en" (default), "fr" and "es". Can be set also with options(ilstat_lang = 'fr'),

Details

A character or a factor vector of codes returns a corresponding vector of definitions. label_ilstat labels also data_frames from `get_ilstat`. For vectors a dictionary "time" and "values" columns are returned as they were, so you can supply data_frame from `get_ilstat` and get data_frame with definitions instead of codes.

Value

a vector or a data_frame. The suffix ".label" is added to code column names.

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("Rilostat") ilostat bulk download facility user guidelines https://www.ilo.org/ilostat-files/Documents/ILOSTAT_BulkDownload_Guidelines.pdf

Examples

```
## Not run:
dat <- get_ilstat("UNE_2UNE_SEX_AGE_NB_A", cache = FALSE)
dat_lab <- label_ilstat(dat)
head(dat_lab)
clean_ilstat_cache()

## End(Not run)
```

sdmx_ilstat

*Read Ilostata Data, Metadata via ILO SDMX api***Description**

query codelist, data and metadata via ilo sdmx api

Usage

```
sdmx_ilstat(dsd, sdmx_resource = getOption("ilstat_sdmx_resource",
  "codelist"), sdmx_format = getOption("ilstat_sdmx_format",
  "structurespecificdata"), lang = getOption("ilstat_lang", "en"),
  count = getOption("ilstat_sdmx_count", FALSE),
  quiet = getOption("ilstat_quiet", FALSE))
```

Arguments

dsd	A datastructure definition, see examples section,
sdmx_resource	: a character, type of info to be returned from the sdmx api: 'codelist' (default), 'data', 'dataflow', 'conceptref',
sdmx_format	: for data only, a character, format of info to be returned from the sdmx api: 'structurespecificdata' (default) also available 'csv'.
lang	a character for language. Available are "en" (default), "fr" and "es". Can be set also with options(ilstat_lang = 'fr'),
count	a logical, count data records only if resource = 'data', FALSE (default),
quiet	a logical, if TRUE , don't return message from processing, FALSE (default). Can be set also with options(ilstat_quiet = TRUE).

Author(s)

David Bescond <bescond@ilo.org>

References

See citation("Rilostat")

ilstat sdmx user guidelines: "https://www.ilo.org/ilstat-files/Documents/SDMX_User_Guide.pdf"

Examples

```
## Not run:
##### get codelist
# fetch collection define on ILOSTAT
dic <- sdmx_ilstat(dsd = "CL_COLLECTION", lang = "en")
head(dic)

# fetch country available on ILOSTAT
```

```
dic <- sdmx_ilstat(dsd = "CL_AREA", lang ="es")
head(dic)

# fetch classif ECO available on ILOSTAT
dic <- sdmx_ilstat(dsd = "CL_ECO", lang ="en")
head(dic)

# fetch classif ECO verion available on ILOSTAT
dic <- sdmx_ilstat(dsd = "CL_CLASSIF_ECO", lang ="en")
head(dic)

# fetch note type available on ILOSTAT
dic <- sdmx_ilstat(dsd = "CL_NOTE_TYPE", lang ="en")
head(dic)

# fetch note "Repository" available on ILOSTAT
dic <- sdmx_ilstat(dsd = "CL_NOTE_R1", lang ="en")
head(dic)

##### get data

### with attribute
dat <- sdmx_ilstat(dsd = 'STI_ALB_EMP_TEMP_SEX_AGE_NB',
                  sdmx_resource = 'data')
head(dat)

# without attribute
dat <- sdmx_ilstat(dsd = "STI_DEU_EMP_TEMP_SEX_AGE_NB?detail=dataonly",
                  sdmx_resource = 'data')

# of last N data
dat <- sdmx_ilstat(dsd = "STI_ITA_EMP_TEMP_SEX_AGE_NB?lastNObservations=1",
                  sdmx_resource = 'data')
head(dat)

# of first N data
dat <- sdmx_ilstat(dsd = "STI_ARG_EMP_TEMP_SEX_AGE_NB?firstNObservations=2",
                  sdmx_resource = 'data')
head(dat)

##### with multi country and advanced filters

# to get the order of the filter first get the conceptref of the DSD

filter_position <- sdmx_ilstat(dsd = 'STI_ALL_EMP_TEMP_SEX_AGE_NB',
                              sdmx_resource = 'conceptref')
filter_position

# COUNTRY and FREQ are in second and third position of the filters

dat <- sdmx_ilstat(dsd = "STI_ALL_EMP_TEMP_SEX_AGE_NB/.FRA+DEU.M...",
                  sdmx_resource = 'data')
head(dat)
```

```
# as from 2009
dat <- sdmx_ilstat("STI_FRA_UNE_TUNE_SEX_AGE_NB/STI.FRA.M.5893..",
                  sdmx_resource = 'data')
head(dat)

##### dataflow available

flow <- sdmx_ilstat("STI_TTO_MULTI", sdmx_resource = 'dataflow')

flow <- sdmx_ilstat("KI_ALL_EMP_MULTI", sdmx_resource = 'dataflow')

flow <- sdmx_ilstat("YI_FRA_UNE_MULTI", sdmx_resource = 'dataflow')

##### count data available

# with multi country
sdmx_ilstat("STI_FRA_UNE_TUNE_SEX_AGE_NB/STI.FRA.M.5893..",
            sdmx_resource = 'data', count = TRUE)

## End(Not run)
```

Index

*Topic **database**

get_ilstat_dic, [6](#)

get_ilstat_toc, [7](#)

*Topic **package**

ilstat, [9](#)

*Topic **utilities**

get_ilstat_dic, [6](#)

get_ilstat_toc, [7](#)

clean_ilstat_cache, [2, 5](#)

Date, [3](#)

get_ilstat, [2, 3, 7, 8, 11](#)

get_ilstat_dic, [6](#)

get_ilstat_toc, [3, 5, 7](#)

ilstat, [9](#)

label_ilstat, [5–7, 10](#)

sdmx_ilstat, [12](#)

tempdir, [2, 4](#)